
PyTest Skip Markers

Release 1.3.0

VMware, Inc.

May 09, 2022

CONTENTS

1	Markers	1
1.1	destructive_test	1
1.2	expensive_test	1
1.3	skip_if_not_root	2
1.4	skip_if_binaries_missing	2
1.5	requires_network	2
1.6	skip_on_windows	2
1.7	skip_unless_on_windows	3
1.8	skip_on_linux	3
1.9	skip_unless_on_linux	3
1.10	skip_on_darwin	4
1.11	skip_unless_on_darwin	4
1.12	skip_on_sunos	4
1.13	skip_unless_on_sunos	4
1.14	skip_on_smartos	5
1.15	skip_unless_on_smartos	5
1.16	skip_on_freebsd	5
1.17	skip_unless_on_freebsd	5
1.18	skip_on_netbsd	6
1.19	skip_unless_on_netbsd	6
1.20	skip_on_openbsd	6
1.21	skip_unless_on_openbsd	6
1.22	skip_on_aix	7
1.23	skip_unless_on_aix	7
1.24	skip_on_aarch64	7
1.25	skip_unless_on_aarch64	7
1.26	skip_on_photonos	8
1.27	skip_unless_on_photonos	8
1.28	skip_on_spawning_platform	8
1.29	skip_unless_on_spawning_platform	8
1.30	skip_on_env	9
1.31	skip_on_platforms	9
1.32	skip_unless_on_platforms	10
2	PyTest Skip Makers Package	11
2.1	Utils	11
2.1.1	PyTest Markers related utilities	11
2.1.2	Platform related utilities	12
2.1.3	Ports related utility functions	15

3	Changelog	17
3.1	[UNRELEASED DRAFT] (2022-05-09)	17
3.2	1.3.0 (2022-05-09)	17
	3.2.1 Features	17
3.3	1.2.0 (2022-02-22)	17
	3.3.1 Features	17
3.4	1.1.3 (2022-02-16)	17
	3.4.1 Bug Fixes	17
3.5	1.1.2 (2022-02-05)	18
	3.5.1 Bug Fixes	18
3.6	1.1.1 (2022-02-05)	18
	3.6.1 Bug Fixes	18
3.7	1.1.0 (2022-01-26)	18
	3.7.1 Improvements	18
	3.7.2 Trivial/Internal Changes	18
3.8	skip-markers 1.0.0 (2021-10-04)	18
	3.8.1 Features	18
	Python Module Index	19
	Index	21

MARKERS

1.1 destructive_test

`@pytest.mark.destructive_test`

Skip the test if `--run-destructive` is not passed to pytest on the CLI.

Use this mark when the test does something destructive to the system where the tests are running, for example, adding or removing a user, changing a user password.

Note

Do not use this marker if all the test does is add/remove/change files in the test suite temporary directory

```
@pytest.mark.destructive_test
def test_func():
    assert True
```

1.2 expensive_test

`@pytest.mark.expensive_test`

Skip the test if `--run-expensive` is not passed to pytest on the CLI.

Use this test when the test does something expensive(as in monetary expensive), like creating a virtual machine on a cloud provider, etc.

```
@pytest.mark.expensive_test
def test_func():
    assert True
```

1.3 skip_if_not_root

@pytest.mark.skip_if_not_root

Skip the test if the user running the test suite is not root or Administrator on Windows.

```
@pytest.mark.skip_if_not_root
def test_func():
    assert True
```

Look [here](#) for the full function signature.

1.4 skip_if_binaries_missing

@pytest.mark.skip_if_binaries_missing(*binaries, check_all=True, reason=None)

Parameters

- **binaries** (*str*) – Any argument passed must be a *str* which is the name of the binary check for presence in the path. Multiple arguments can be passed.
- **check_all** (*bool*) – If *check_all* is True, the default, all binaries must exist. If *check_all* is False, then only one the passed binaries needs to be found. Useful when, for example, passing a list of python interpreter names(python3.5, python3, python), where only one needs to exist.
- **reason** (*str*) – The skip reason.

Skip tests if binaries are not found in path.

```
@pytest.mark.skip_if_binaries_missing("sshd")
def test_func():
    assert True

@pytest.mark.skip_if_binaries_missing("python3.7", "python3", "python", check_
↪all=False)
def test_func():
    assert True
```

Look [here](#) for the full function signature.

1.5 requires_network

1.6 skip_on_windows

@pytest.mark.skip_on_windows(reason=None)

Parameters **reason** (*str*) – The skip reason

Skip test if test suite is running on windows.

```
@pytest.mark.skip_on_windows
def test_func():
    assert True
```

1.7 skip_unless_on_windows

@pytest.mark.skip_unless_on_windows(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test unless the test suite is running on windows.

```
@pytest.mark.skip_unless_on_windows
def test_func():
    assert True
```

1.8 skip_on_linux

@pytest.mark.skip_on_linux(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test if test suite is running on linux.

```
@pytest.mark.skip_on_linux
def test_func():
    assert True
```

1.9 skip_unless_on_linux

@pytest.mark.skip_unless_on_linux(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test unless the test suite is running on linux.

```
@pytest.mark.skip_unless_on_linux
def test_func():
    assert True
```

1.10 skip_on_darwin

@pytest.mark.skip_on_darwin(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test if test suite is running on darwin.

```
@pytest.mark.skip_on_darwin
def test_func():
    assert True
```

1.11 skip_unless_on_darwin

@pytest.mark.skip_unless_on_darwin(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test unless the test suite is running on darwin.

```
@pytest.mark.skip_unless_on_darwin
def test_func():
    assert True
```

1.12 skip_on_sunos

@pytest.mark.skip_on_sunos(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test if test suite is running on sunos.

```
@pytest.mark.skip_on_sunos
def test_func():
    assert True
```

1.13 skip_unless_on_sunos

@pytest.mark.skip_unless_on_sunos(*reason=None*)

Parameters *reason* (*str*) – The skip reason

Skip test unless the test suite is running on sunos.

```
@pytest.mark.skip_unless_on_sunos
def test_func():
    assert True
```

1.14 skip_on_smartos

`@pytest.mark.skip_on_smartos(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on smartos.

```
@pytest.mark.skip_on_smartos
def test_func():
    assert True
```

1.15 skip_unless_on_smartos

`@pytest.mark.skip_unless_on_smartos(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on smartos.

```
@pytest.mark.skip_unless_on_smartos
def test_func():
    assert True
```

1.16 skip_on_freebsd

`@pytest.mark.skip_on_freebsd(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on freebsd.

```
@pytest.mark.skip_on_freebsd
def test_func():
    assert True
```

1.17 skip_unless_on_freebsd

`@pytest.mark.skip_unless_on_freebsd(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on freebsd.

```
@pytest.mark.skip_unless_on_freebsd
def test_func():
    assert True
```

1.18 skip_on_netbsd

`@pytest.mark.skip_on_netbsd(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on netbsd.

```
@pytest.mark.skip_on_netbsd
def test_func():
    assert True
```

1.19 skip_unless_on_netbsd

`@pytest.mark.skip_unless_on_netbsd(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on netbsd.

```
@pytest.mark.skip_unless_on_netbsd
def test_func():
    assert True
```

1.20 skip_on_openbsd

`@pytest.mark.skip_on_openbsd(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on openbsd.

```
@pytest.mark.skip_on_openbsd
def test_func():
    assert True
```

1.21 skip_unless_on_openbsd

`@pytest.mark.skip_unless_on_openbsd(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on openbsd.

```
@pytest.mark.skip_unless_on_openbsd
def test_func():
    assert True
```

1.22 skip_on_aix

`@pytest.mark.skip_on_aix(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on aix.

```
@pytest.mark.skip_on_aix
def test_func():
    assert True
```

1.23 skip_unless_on_aix

`@pytest.mark.skip_unless_on_aix(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on aix.

```
@pytest.mark.skip_unless_on_aix
def test_func():
    assert True
```

1.24 skip_on_aarch64

`@pytest.mark.skip_on_aarch64(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on aarch64.

```
@pytest.mark.skip_on_aarch64
def test_func():
    assert True
```

1.25 skip_unless_on_aarch64

`@pytest.mark.skip_unless_on_aarch64(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on aarch64.

```
@pytest.mark.skip_unless_on_aarch64
def test_func():
    assert True
```

1.26 skip_on_photonos

`@pytest.mark.skip_on_photonos(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on PhotonOS.

```
@pytest.mark.skip_on_photonos
def test_func():
    assert True
```

1.27 skip_unless_on_photonos

`@pytest.mark.skip_unless_on_photonos(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is running on PhotonOS.

```
@pytest.mark.skip_unless_on_photonos
def test_func():
    assert True
```

1.28 skip_on_spawning_platform

`@pytest.mark.skip_on_spawning_platform(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test if test suite is running on a platform which defaults multiprocessing to spawn.

```
@pytest.mark.skip_on_spawning_platform
def test_func():
    assert True
```

1.29 skip_unless_on_spawning_platform

`@pytest.mark.skip_unless_on_spawning_platform(reason=None)`

Parameters `reason` (*str*) – The skip reason

Skip test unless the test suite is not running on a platform which defaults multiprocessing to spawn.

```
@pytest.mark.skip_unless_on_spawning_platform
def test_func():
    assert True
```

1.30 skip_on_env

`@pytest.mark.skip_on_env(envvar, present=True, eq=None, ne=None)`

Parameters

- **varname** (*str*) – The environment variable to check
- **present** (*bool*) – When True, skip if variable is present in the environment. When False, skip if variable is not present in the environment.
- **eq** (*str*) – Skips when the variable is present in the environment and matches this value.
- **ne** (*str*) – Skips when the variable is present in the environment and does not match this value.
- **reason** (*str*) – The skip reason

Skip test based on the presence/absence of *envvar* in the environment and it's value.

```
@pytest.mark.skip_on_env("FLAKY_TEST")
def test_func():
    assert True

@pytest.mark.skip_on_env("FLAKY_TEST", eq="1")
def test_func():
    assert True

@pytest.mark.skip_on_env("FLAKY_TEST", present=False)
def test_func():
    assert True
```

1.31 skip_on_platforms

`@pytest.mark.skip_on_platforms(**platforms, reason=None)`

Parameters

- **windows** (*bool*) – Skip on windows if True
- **linux** (*bool*) – Skip on linux if True
- **darwin** (*bool*) – Skip on darwin if True
- **sunos** (*bool*) – Skip on sunos if True
- **smartos** (*bool*) – Skip on smartos if True
- **freebsd** (*bool*) – Skip on freebsd if True
- **netbsd** (*bool*) – Skip on netbsd if True
- **openbsd** (*bool*) – Skip on openbsd if True
- **aix** (*bool*) – Skip on aix if True
- **aarch64** (*bool*) – Skip on aarch64 if True

- **photonos** (*bool*) – Skip on photonos if True
- **spawning** (*bool*) – Skip on platforms for which multiprocessing defaults to spawn if True
- **reason** (*str*) – The skip reason

Pass True to any of the platforms defined as keyword arguments to skip the test when running on that platform

```
@pytest.mark.skip_on_platforms(windows=True, darwin=True)
def test_func():
    assert True
```

1.32 skip_unless_on_platforms

`@pytest.mark.skip_unless_on_platforms(**platforms, reason=None)`

Parameters

- **windows** (*bool*) – Skip unless on windows if True
- **linux** (*bool*) – Skip unless on linux if True
- **darwin** (*bool*) – Skip unless on darwin if True
- **sunos** (*bool*) – Skip unless on sunos if True
- **smartos** (*bool*) – Skip unless on smartos if True
- **freebsd** (*bool*) – Skip unless on freebsd if True
- **netbsd** (*bool*) – Skip unless on netbsd if True
- **openbsd** (*bool*) – Skip unless on openbsd if True
- **aix** (*bool*) – Skip unless on aix if True
- **aarch64** (*bool*) – Skip on aarch64 if True
- **photonos** (*bool*) – Skip on photonos if True
- **spawning** (*bool*) – Skip on platforms for which multiprocessing does not default to spawn if True
- **reason** (*str*) – The skip reason

Pass True to any of the platforms defined as keyword arguments to skip the test when not running on that platform

```
@pytest.mark.skip_unless_on_platforms(windows=True, darwin=True)
def test_func():
    assert True
```

PYTEST SKIP MAKERS PACKAGE

2.1 Utils

2.1.1 PyTest Markers related utilities

PyTest Markers related utilities.

`pytestskipmarkers.utils.markers.skip_if_not_root()`

Helper function to check for root/Administrator privileges.

Returns: str: The reason of the skip

Return type *Optional*[str]

`pytestskipmarkers.utils.markers.skip_if_binaries_missing(binaries, check_all=True, reason=None)`

Helper function to check for existing binaries.

Args:

binaries (list or tuple): Iterator of binaries to check

check_all (bool): If `check_all` is True, the default, all binaries must exist. If `check_all` is False, then only one the passed binaries needs to be found. Useful when, for example, passing a list of python interpreter names(`python3.5`, `python3`, `python`), where only one needs to exist.

reason (str): The skip reason.

Returns: str: The reason for the skip. None: Should not be skipped.

Parameters

- **binaries** (*Union*[*List*[str], *Tuple*[str, ...]]) –
- **check_all** (*bool*) –
- **reason** (*Optional*[str]) –

Return type *Optional*[str]

`pytestskipmarkers.utils.markers.skip_if_no_local_network()`

Helper function to check for existing local network.

Returns: str: The reason for the skip. None: Should not be skipped.

Return type *Optional*[str]

`pytestskipmarkers.utils.markers.skip_if_no_remote_network()`

Helper function to check for existing remote network(internet).

Returns: str: The reason for the skip. None: Should not be skipped.

Return type *Optional*[str]

`pytestskipmarkers.utils.markers.skip_on_env(varname, present=True, eq=None, ne=None, reason=None)`

Helper function to check for environment variables.

If any of the checks match, return the skip reason.

Args:

varname(str): The environment variable to check

present(bool): When True, skip if variable is present in the environment. When False, skip if variable is not present in the environment.

eq(str): Skips when the variable is present in the environment and matches this value.

ne(str): Skips when the variable is present in the environment and does not match this value.

reason(str): The custom reason message to use.

Returns: str: The skip reason None: Should not be skipped.

Parameters

- **varname** (*str*) –
- **present** (*bool*) –
- **eq** (*Optional*[str]) –
- **ne** (*Optional*[str]) –
- **reason** (*Optional*[str]) –

Return type *Optional*[str]

`pytestskipmarkers.utils.markers.evaluate_markers(item)`

Fixtures injection based on markers or test skips based on CLI arguments.

Parameters **item** (*Item*) –

Return type None

2.1.2 Platform related utilities

Platform related utilities.

`pytestskipmarkers.utils.platform.is_windows()`

Simple function to return if a host is Windows or not.

Return bool Return true on Windows

Return type bool

`pytestskipmarkers.utils.platform.is_linux()`

Simple function to return if a host is Linux or not.

Note for a proxy minion, we need to return something else :return bool: Return true on Linux

Return type `bool`

`pytestskipmarkers.utils.platform.is_darwin()`

Simple function to return if a host is Darwin (macOS) or not.

Return bool Return true on Darwin(macOS)

Return type `bool`

`pytestskipmarkers.utils.platform.is_sunos()`

Simple function to return if host is SunOS or not.

Return bool Return true on SunOS

Return type `bool`

`pytestskipmarkers.utils.platform.is_smartos()`

Simple function to return if host is SmartOS (Illumos) or not.

Return bool Return true on SmartOS (Illumos)

Return type `bool`

`pytestskipmarkers.utils.platform.is_freebsd()`

Simple function to return if host is FreeBSD or not.

Return bool Return true on FreeBSD

Return type `bool`

`pytestskipmarkers.utils.platform.is_netbsd()`

Simple function to return if host is NetBSD or not.

Return bool Return true on NetBSD

Return type `bool`

`pytestskipmarkers.utils.platform.is_openbsd()`

Simple function to return if host is OpenBSD or not.

Return bool Return true on OpenBSD

Return type `bool`

`pytestskipmarkers.utils.platform.is_aix()`

Simple function to return if host is AIX or not.

Return bool Return true on AIX

Return type `bool`

`pytestskipmarkers.utils.platform.is_aarch64()`

Simple function to return if host is AArch64 or not.

Return type `bool`

`pytestskipmarkers.utils.platform.is_photonos()`

Simple function to return if host is Photon OS or not.

Return type `bool`

`pytestskipmarkers.utils.platform.is_spawning_platform()`

Returns True if running on a platform which defaults multiprocessing to spawn.

Return type `bool`

`pytestskipmarkers.utils.platform.on_platforms`(*windows=False, linux=False, darwin=False, sunos=False, smartos=False, freebsd=False, netbsd=False, openbsd=False, aix=False, aarch64=False, spawning=False, photonos=False*)

Check to see if we're on one of the provided platforms.

Parameters

- **windows** (*bool*) – When True, check if running on Windows.
- **linux** (*bool*) – When True, check if running on Linux.
- **darwin** (*bool*) – When True, check if running on Darwin.
- **sunos** (*bool*) – When True, check if running on SunOS.
- **smartos** (*bool*) – When True, check if running on SmartOS.
- **freebsd** (*bool*) – When True, check if running on FreeBSD.
- **netbsd** (*bool*) – When True, check if running on NetBSD.
- **openbsd** (*bool*) – When True, check if running on OpenBSD.
- **aix** (*bool*) – When True, check if running on AIX.
- **aarch64** (*bool*) – When True, check if running on AArch64.
- **spawning** (*bool*) – When True, check if running on a platform which defaults multiprocessing to spawn
- **windows** –
- **linux** –
- **darwin** –
- **sunos** –
- **smartos** –
- **freebsd** –
- **netbsd** –
- **openbsd** –
- **aix** –
- **aarch64** –
- **spawning** –
- **photonos** (*bool*) –

Return type `bool`

`pytestskipmarkers.utils.platform.is_fips_enabled()`

Check is FIPS is enabled.

Return bool Return true when enabled

Return type `bool`

2.1.3 Ports related utility functions

Ports related utility functions.

`pytestskipmarkers.utils.ports.get_unused_localhost_port(use_cache=False)`

Return a random unused port on localhost.

Parameters

- **use_cache** (*bool*) – If `use_cache` is `True`, consecutive calls to this function will never return the cached port.
- **use_cache** –

Return type `int`

`pytestskipmarkers.utils.ports.get_connectable_ports(ports)`

Returns a set of the ports where connection was successful.

Parameters **ports** (*Iterable*) – An iterable of ports to try and connect to

Return type `set`

Returns Returns a set of the ports where connection was successful

CHANGELOG

Versions follow [Semantic Versioning](#) (`<major>.<minor>.<patch>`).

Backward incompatible (breaking) changes will only be introduced in major versions with advance notice in the **Deprecations** section of releases.

3.1 [UNRELEASED DRAFT] (2022-05-09)

No significant changes.

3.2 1.3.0 (2022-05-09)

3.2.1 Features

- Support skipping all test cases that access the Internet by setting the environment variable `NO_INTERNET`. This is useful to make the test run reproducible and robust for future runs (to avoid breaking in case some random service on the Internet changes). (#16)

3.3 1.2.0 (2022-02-22)

3.3.1 Features

- Added `pytest.mark.skip_on_photonos` and `pytest.mark.skip_unless_on_photonos` markers (#13)
- Added the `pytest.mark.skip_on_env` marker. (#14)

3.4 1.1.3 (2022-02-16)

3.4.1 Bug Fixes

- Fixed issue with `sdist` recompression for reproducible packages not iterating though subdirectories contents. (#12)

3.5 1.1.2 (2022-02-05)

3.5.1 Bug Fixes

- Set lower required python to 3.5.2 and avoid issues with *flake8-typing-imports*. (#10)

3.6 1.1.1 (2022-02-05)

3.6.1 Bug Fixes

- Allow installing on older minor versions of Py3.5. Looking at you Debian. (#10)

3.7 1.1.0 (2022-01-26)

3.7.1 Improvements

- Maintain the skip location under Pytest $\geq 7.0.x$ (#7)
- The plugin is now fully typed (#8)

3.7.2 Trivial/Internal Changes

- Reproducible builds
 - Fix copyright headers hook
 - towncrier now uses `issue_format` (#7)

3.8 skip-markers 1.0.0 (2021-10-04)

3.8.1 Features

- First public release of the Pytest Skip Markers Plugin

PYTHON MODULE INDEX

U

`pytestskipmarkers.utils`, 11
`pytestskipmarkers.utils.markers`, 11
`pytestskipmarkers.utils.platform`, 12
`pytestskipmarkers.utils.ports`, 15

B

built-in function

- pytest.mark.destructive_test(), 1
- pytest.mark.expensive_test(), 1
- pytest.mark.skip_if_binaries_missing(), 2
- pytest.mark.skip_if_not_root(), 2
- pytest.mark.skip_on_aarch64(), 7
- pytest.mark.skip_on_aix(), 7
- pytest.mark.skip_on_darwin(), 4
- pytest.mark.skip_on_env(), 9
- pytest.mark.skip_on_freebsd(), 5
- pytest.mark.skip_on_linux(), 3
- pytest.mark.skip_on_netbsd(), 6
- pytest.mark.skip_on_openbsd(), 6
- pytest.mark.skip_on_photonos(), 8
- pytest.mark.skip_on_platforms(), 9
- pytest.mark.skip_on_smartos(), 5
- pytest.mark.skip_on_spawning_platform(), 8
- pytest.mark.skip_on_sunos(), 4
- pytest.mark.skip_on_windows(), 2
- pytest.mark.skip_unless_on_aarch64(), 7
- pytest.mark.skip_unless_on_aix(), 7
- pytest.mark.skip_unless_on_darwin(), 4
- pytest.mark.skip_unless_on_freebsd(), 5
- pytest.mark.skip_unless_on_linux(), 3
- pytest.mark.skip_unless_on_netbsd(), 6
- pytest.mark.skip_unless_on_openbsd(), 6
- pytest.mark.skip_unless_on_photonos(), 8
- pytest.mark.skip_unless_on_platforms(), 10
- pytest.mark.skip_unless_on_smartos(), 5
- pytest.mark.skip_unless_on_spawning_platform(), 8
- pytest.mark.skip_unless_on_sunos(), 4
- pytest.mark.skip_unless_on_windows(), 3

E

- evaluate_markers() (in module *pytestskipmarkers.utils.markers*), 12

G

- get_connectable_ports() (in module *pytestskipmarkers.utils.ports*), 15
- get_unused_localhost_port() (in module *pytestskipmarkers.utils.ports*), 15

I

- is_aarch64() (in module *pytestskipmarkers.utils.platform*), 13
- is_aix() (in module *pytestskipmarkers.utils.platform*), 13
- is_darwin() (in module *pytestskipmarkers.utils.platform*), 13
- is_fips_enabled() (in module *pytestskipmarkers.utils.platform*), 14
- is_freebsd() (in module *pytestskipmarkers.utils.platform*), 13
- is_linux() (in module *pytestskipmarkers.utils.platform*), 12
- is_netbsd() (in module *pytestskipmarkers.utils.platform*), 13
- is_openbsd() (in module *pytestskipmarkers.utils.platform*), 13
- is_photonos() (in module *pytestskipmarkers.utils.platform*), 13
- is_smartos() (in module *pytestskipmarkers.utils.platform*), 13
- is_spawning_platform() (in module *pytestskipmarkers.utils.platform*), 13
- is_sunos() (in module *pytestskipmarkers.utils.platform*), 13
- is_windows() (in module *pytestskipmarkers.utils.platform*), 12

M

module

- pytestskipmarkers.utils, 11
- pytestskipmarkers.utils.markers, 11
- pytestskipmarkers.utils.platform, 12
- pytestskipmarkers.utils.ports, 15

O

`on_platforms()` (in module `pytestmarkers.utils.platform`), 14

P

`pytest.mark.destructive_test()`
 built-in function, 1

`pytest.mark.expensive_test()`
 built-in function, 1

`pytest.mark.skip_if_binaries_missing()`
 built-in function, 2

`pytest.mark.skip_if_not_root()`
 built-in function, 2

`pytest.mark.skip_on_aarch64()`
 built-in function, 7

`pytest.mark.skip_on_aix()`
 built-in function, 7

`pytest.mark.skip_on_darwin()`
 built-in function, 4

`pytest.mark.skip_on_env()`
 built-in function, 9

`pytest.mark.skip_on_freebsd()`
 built-in function, 5

`pytest.mark.skip_on_linux()`
 built-in function, 3

`pytest.mark.skip_on_netbsd()`
 built-in function, 6

`pytest.mark.skip_on_openbsd()`
 built-in function, 6

`pytest.mark.skip_on_photonos()`
 built-in function, 8

`pytest.mark.skip_on_platforms()`
 built-in function, 9

`pytest.mark.skip_on_smartos()`
 built-in function, 5

`pytest.mark.skip_on_spawning_platform()`
 built-in function, 8

`pytest.mark.skip_on_sunos()`
 built-in function, 4

`pytest.mark.skip_on_windows()`
 built-in function, 2

`pytest.mark.skip_unless_on_aarch64()`
 built-in function, 7

`pytest.mark.skip_unless_on_aix()`
 built-in function, 7

`pytest.mark.skip_unless_on_darwin()`
 built-in function, 4

`pytest.mark.skip_unless_on_freebsd()`
 built-in function, 5

`pytest.mark.skip_unless_on_linux()`
 built-in function, 3

`pytest.mark.skip_unless_on_netbsd()`
 built-in function, 6

`pytest.mark.skip_unless_on_openbsd()`
 built-in function, 6

`pytest.mark.skip_unless_on_photonos()`
 built-in function, 8

`pytest.mark.skip_unless_on_platforms()`
 built-in function, 10

`pytest.mark.skip_unless_on_smartos()`
 built-in function, 5

`pytest.mark.skip_unless_on_spawning_platform()`
 built-in function, 8

`pytest.mark.skip_unless_on_sunos()`
 built-in function, 4

`pytest.mark.skip_unless_on_windows()`
 built-in function, 3

`pytestmarkers.utils`
 module, 11

`pytestmarkers.utils.markers`
 module, 11

`pytestmarkers.utils.platform`
 module, 12

`pytestmarkers.utils.ports`
 module, 15

S

`skip_if_binaries_missing()` (in module `pytestmarkers.utils.markers`), 11

`skip_if_no_local_network()` (in module `pytestmarkers.utils.markers`), 11

`skip_if_no_remote_network()` (in module `pytestmarkers.utils.markers`), 11

`skip_if_not_root()` (in module `pytestmarkers.utils.markers`), 11

`skip_on_env()` (in module `pytestmarkers.utils.markers`), 12